

# Carbon Dates of Copper Hoard Weapons found from Nigohi Area, District Shahjahanpur U.P. India

#### Ravi Bhushan

Birbal Sahni Institute of Paleosciences Lucknow

& &

Physical Research Laboratory, Ahmedabad

### Sanjay KS Gahlaud

Birbal Sahni Institute of Paleosciences

#### Vijay Kumar

Chief Editor

Indian Journal of Archaeology

&

#### Amit Rai Jain

Director Shahjad Rai Research Institute

Baraut, District Baghpat U.P.

Introduction: Uttar Pradesh from Yamuna to Bahraich, Ayodhya, Sultanpur axis, north Rajasthan, Haryana and eastern Punjab tegion in north of the Indian subcontinent is primarily responsible for most of the copper hoards that have been found. These hoards, which can range in Size and numbers, are mostly speculated to date from the second millennium BCE. However, in absence of exact dates, there exists a debate about its antiquity. Generally, these copper hoards are often connected to the Ochre Colored Pottery (OCP). Since hoards were typically found in isolated locations or scanty cultural deposits, many of these have been found without an archaeological context. Recent findings of chariot from Sinauti, U.P. along with copper hoard weapons points the association of these weapons with OCP (~2000 BC).

70

### Indian Journal of Archaeology

This attested that OCP people were using copper hoards (axe, harpoons, antennae swords etc.) for battle, Even some of the rock paintings of *Chitrakoot & Prayagraj* U.P. and eastern *Vindhyam* area south of river *Yamuna & Ganga* reveals invasion by copper hoard people probably because of advantage of advanced weaponry and superior military technology.

Copper hoard weapons & implements associated with OCP are harpoons, antennae swords, long & short swords, anthropomorphic figures, shouldered axes, flat celts, chisels, bar celts, currier's knives, awls, hand guards, copper ingots, bangles. Such weapons are found in Punjab, Haryana, north Rajasthan and western, central & part of eastern U.P. In addition to this, copper pieces were used to decorate chariot wheels, coffins and shields.

The present copper hoard from the Nigohi area (latitude 28%6'11.36" N and longitude 79%51'53.88" E), of district Shahjahanpur, U.P., numbering more than 200, was unintentionally discovered during farming operations. It was first retrieved by some residents of the Nigohi area. Later on, it was procured by Amit Rai Jain. Some of these weapons were embedded in clay lumps. These embedded items included a great number of anthropomorphic figures, swords, harpoons, chisels, bar celts, hand guards, axes etc. The soil in between the copper hoard weapons & tools is used for dating.






Fig. No. 01: Location of village Nigohi district Shahjahanpur in the map of India



Fig. No. 02: Location of village Nigohi district Shahjahanpur in the map of U.P.




Fig. No. 03: Location of village Nigohi in district Shahjahanpur

## Carbon Dates of Copper Hourd Weapons found from Nigolii Area, District Shahjahanpur U.P. India

The present investigation was initiated with the sole motive of providing proper chronological age based on radiocarbon dates, and to end the debate related to the age of the OCP culture & copper hoards found at various locations. To ascertain its provenance, and other archeological parameters, a thorough research investigation is being conducted. In this study, we report for the first time radiocarbon dates based on Accelerator Mass Spectrometry (AMS), a state of the art technique for age determination Radiocarbon dating using Accelerator Mass Spectrometer AMS)

**Material and Methods:** The copper hoard samples were obtained from the Nigohi, District Shahjahanpur, UP, India, along with the contemporary soil samples. Following are the weapons in different sample soil chunks sent to BSIP, Lucknow for scientific examination.



Fig. No. 04: Shouldered Axe

Accessesion No. - 1NGH\_AXE-1
Size - 14x12x0.5 cm
Weight - 653 gram



Fig. No. 05: Shouldered Axe

Accessesion No. - 1NGH\_AXE-1
Size - 14x11.5x0.5 cm
Weight - 668 gram



Fig. No. 06: Axe

 Accessesion No.
 2NGH\_AXE-2

 Size
 15x10x0.5 cm

 Weight
 483 gram

 Description
 It is an axe.




Fig. No. 07: Shouldered Axe

 Accessesion No.
 2NGH\_AXE-2

 Size
 16x14x0.5 cm

 Weight
 %1 gram



Fig. No. 08; Shouldered Axe

Accessesion No. - 2NGH\_AXE-2
Size - 15.5x13x0.5 cm
Weight - 873 gram



Fig. No. 09: Shouldered Axe

 Accessesion No.
 3NGH\_AXE-3

 Size
 20x17x1 cm

 Weight
 2.875 kg



Fig. No. 10: Shouldered Axe

Accessesion No. - 3NGH\_AXE-3
Size - 20x17x1 cm
Weight - 1.743 kg




Fig. No. 11: Shouldered Axe

 Accessesion No.
 4NGH\_AXE-4

 Size
 19x15x1 cm

 Weight
 1341 kg




Fig. No. 12 Shouldered Axe

 Accessesion No.
 4NGH AXE-4

 Size
 20x16x1 cm

 Weight
 1,453 gram




Fig. No. 13 Shouldered Axe

 Accessesion No.
 5NGH AXF-5

 Size
 16x15x1 cm

 Weight
 1.081 kg



Fig. No. 14: Shouldered Axe

 Accessesion No.
 5NGH\_AXE 5R

 Size
 15x13x0.5 cm

 Weight
 502 gram



Fig. No. 15: Chisel

Accessesion No. - 6NGH CHISFL-1
Size 23.5x5x0.5 cm
Weight - 359 gram
Description - It is a chiseI



Fig. No. 16: Chisel

Accessesion No. - 6NGH\_CHISEL-1
Size - 20x5x0 5 cm
Weight 331 gram
Description - It is a chusel.



Fig. No. 17: Chisel

Accessesion No. - 6NGH CHISEL-1
Size - 22x5x0 5 cm
Weight - 288 gram
Description - It is a chisel.




Fig. No. 18: Chisel

Accessesion No. - 6NGH CHISFL-1
Size - 18.5x5x0.5 cm
Weight - 277 gram
Description - It is a chiseI




Fig. No. 19: Chisel

Accessesion No. - 6NGH\_CHISEL-1
Size - 19x5x0.5 cm
Weight - 270 gram
Description - It is a chisel.




Fig. No. 20: Chisel

Accessesion No. - 6NGH CHISEL-1
Size - 19x5.5x0.5 cm
Weight - 351 gram
Description - It is a chise!



Fig. No. 21: Chisel

Accessesion No. - 7NGH CHISEL-2

 Size
 21x6x1 cm

 Weight
 490 gram

 Description
 It is a chisel.



Fig. No. 22: Chisel

Accessesion No. - 8NGH CHISEL-3

 Size
 27x6x0.5 cm

 Weight
 325 gram

 Description
 It is a chisel



Fig. No. 23: Bar celt

Accessesion No. 8NGH\_CHISEL 3

 Size
 25x3x1 cm

 Weight
 228 gram

 Description
 It is a bar celt.



Fig. No. 24: Chisel

Accessesion No. - 8NGH\_CHISEL 3

Size - 23x5x0.5 cm

Weight - 355 gram

Description - It is a chisel.



Fig. No 25: Chisel

Accessesion No. - 10NGH CHISEL-5

 Size
 14x6x0.5 cm

 Weight
 209 gram

 Description
 It is a chusel.

89



Fig. No. 26: Chisel

Accessesion No. 10NGH\_CHISEL-5R

 Size
 23x6.5x0.5 cm

 Weight
 436 gram

 Description
 It is a chisel,



Fig. No. 27; Chisel

Accessesion No. - 10NGH\_CHISEL 5R

 Size
 22x5.5x0.5 cm

 Weight
 315 gram

 Description
 It is a chisel.



Fig. No. 28: Harpoon

Accessesion No. - 11NGH HARPOON

 Size
 28x6x2.5 cm

 Weight
 506 gram

 Description
 It is a harpoon



Fig. No. 29: Copper Foil

Accessesion No. - 12NGH\_CU FOIL

 Size
 27x5x1 cm

 Weight
 103 gram

Description - It is a copper foil (thin copper plates used in leather hand guards)



Fig. No. 30: Copper Foil

 Accessesion No.
 12NGH\_CU FOIL

 Size
 26x4.5x0.1 cm

 Weight
 83 gram

**Description** - It is a copper foil (thin copper plates used in leather hand guards)

91



Fig. No. 31: Anthropomorphic Figure

Accessesion No. - 13NGH\_ANTH CU

 Size
 26x36x0.5 cm

 Weight
 1.393 kg

**Description** - It is an anthropomorphic figure.



Fig. No. 32: Harpoon

Accessesion No. 15NGH\_HARPOON 2

 Size
 38×6.5×1.5 cm

 Weight
 750 gram

 Description
 It is a harpoon.



Fig. No. 33 Harpoon

Accessesion No. - 15NGH\_HARPOON-2R

 Size
 35x8x1 cm

 Weight
 1.060 kg

Description - It is a harpoon.

The soil samples were investigated for radiocarbon dating on organic matter associated with the soil which is derived from the surface vegetation contemporary of the time of burial of copper hoards. The elemental carbon and nitrogen, and carbon and nitrogen isotopic composition was ascertained. The detailed method for measurement is described below.

Radiocarbon Dating: The soil sample was carefully observed under the microscope for any extraneous roots or objects which were removed physically. Additionally, it was ascertained that soil sample is pristine and has not undergone any subsequent contamination after burial. The sample was decarbonated by treating it with HCl to remove any carbonates. The preprocessed decarbonated fraction of soil sample was packed into tin boats and introduced into Elemental Analyzer (Elementar Analysensysteme GmbH, Germany) coupled with 'Automated Graphitization Equipment 3' (AGL3; Ionplus AG, Switzerland) and 'Isoprime precisiON' IRMS (Elementar Analysensysteme GmbH, Germany) present in the Radiochronology and Isotopic Characterization Laboratory, Birbal Sahni Institute of Palaeosciences, Lucknow, Ind.a. The organic matter in the sample was converted to graphite with 'Automated Graphitization Equipment 3' (Ionplus AG, Suntzerlana). The graphitization was made following the protocols described in Agnihotra et al., 2020. The Graphite targets were analyzed at AMS Facility at HEKAL Laboratory, Isotoptech Zrt, Debrecen, Hungary. The samples were measured with standards and blanks, including International Reference standard (IAEA-C3, IAEA-C5) during graphit.zation and AMS measurements. The radiocarbon dates thus obtained form was calibrated using the online software CALIB 14C Calibration Program ver. 8.2.

### b) Elemental and Isotopic Compostion Determination

The soil sample for carbon and nitrogen elemental and isotopic analysis was picked after cleaning the exposed surface and from in-between trapped sediments. The sample was powdered and homogenised for analysis of Total Organic Carbon (TOC). The sample was further treated with HCl at 80°C to remove carbonates. The sample was then thoroughly washed with detonised whaer repeated to remove any traces of acid. The acid treated sample was kept in oven for complete removal of moisture. The sample was packed in tin boats which were introduced into elemental Analyzer for measuring the TN%, TC%, TOC% of the samples along with its stable isotopic ratios (δ¹5N, δ¹3Crc, δ¹3Crcc). The measurement was done using 'Vario Isotope Select' Elemental Analyzer (Elementar Analysensysteme GmbH, Germany) coupled with 'Isoprime precision' IRMS (Elementar Analysensysteme GmbH, Germany) present in the Radiochronology and Isotopic Characterization Laboratory, Birbal Sahni Institute of Palaeosciences, Lucknow, India

**Results:** The AMS radiocarbon dates obtained for the copper hoard finds of Nigolii were found to be ranging from 3610 cal BP to 4330 cal BP, which corresponds to Late to Mature Harappans (1670 BCE to 2380 BCE) (Table 1). The radiocarbon dates can be put in two categories, one ranging from 1670 BCE to 1903 BCE, and other from 2245 BCF to 2380 BCF

	AMS		Radioca	Calibrated	Mean Age	Calibrated	Mean
Sample ID	lab ID	BSIP ID	rbon	Age range	(years BP)	<b>a</b> ge Range	Age
	THE III		Age	(years BP)	(years or)	(BCE)	(BCE)
LONGH Chiesel-5	1/3639/8.4	BSH <sup>3</sup> /2023/67	3801 ± 53	4090-4289	4193	2143-2340	2244
INGH_Axe-1	1/3639/85	BSTP/2023/68	3903 ± 58	4247 4416	4328	2298-2467	2379
2NGH_Axe-2	1/3639/86	BSTP/2023/69	3384 ± 50	35.8 3693	3619	1569-1744	1670
%NGH_Axe-3	1/3639/87	BSTP/2023/70	3558 ± 55	3726-3961	3852	1777 2012	1903
4NGH_Cheisel-1	1/3639/88	BSIP/2023/71	3860 ± 56	4759-4403	4282	2210-2455	2331

Table 1: AMS radiocarbon dates with their calibrated age range for the soil samples associated with Copper hoards from Nigohi, Radiocarbon ages calibrated using Ca.ib 8.2

Sample ID	TC%	TOC%	TOC/TN	Б <sup>13</sup> Стос (угов)
NGH Axe-1	1 00	0.80	ND	-19 2
NGH_Axe-2	0 98	0 57	ND	-18.7
NGH_Axe-3	0.92	0.57	ND	18.7
NGH_Axe-4	0.80	0.63	ND	18.7
NGH Axe-5	0.70	0 47	ND	-18.9
NGH Axe-5R	0 70	0 44	ND	-19 3
NGH Chiesel-1	0 45	0.37	ND	-20.0
NGH_Chiesel 2	0.46	0.40	ND	19.5
NGH_Chiese, 3	0.68	0 34	ND	19.4
NGH Chuese 4	0.53	0 46	8.0	-22.8
NGH Chresel-5	0.86	0.64	12 3	19 7
NGH_Chiesel-5R	0.88	0 62	13 7	-20,1
NGH_Harpoon	0.60	0.44	9.6	19.1

NGH_Cu foil	0.47	0.32	5.8	-22.1
NGH_Anth Cu	0.70	0.52	10.0	-19.6
NGH_Harpoon-2	1,29	0.49	15.0	-19.0

Table 2: Elemental and isotopic composition of Carbon in the soil samples associated with Copper hoards from Nigohi.

TN-Total Nitrogen; TC-Total Carbon; TOC - Total Organic Carbon; ND - Not Detected; R - Repeat Samples

To ascertain the provenance of soil associated with the copper hoards, elemental and isotopic composition of carbon and nitrogen was carried out. The C/N ratio is indicative of the provenance of sediments whether it is from terrestrial or marine source. The stable isotopic composition of carbon also indicates the source of carbon in the sediments, and it is a more robust proxy. The  $\delta^{13}$ C of the soil sample recovered from the copper weapon burial site ranged mostly from -18 to -22 per mil with C/N ratio ranged from 8-15, which primarily indicates that soil obtained from the site were mostly terrestrial possibly sourced from lacustrine environment.

This study can culminate into a very important archaeological scientific investigation, once detailed excavation of the site is undertaken. This would unravel the cultural history of the site along with the social, economic and climatic conditions under which the civilization thrived. Extensive research is currently under progress to address additional climatic and archaeological factors.

**Discussion:** Earlier the OCP culture was considered to be the degenerate phase of Harappan culture derived from mature Harappan culture but OCP pottery shapes were not similar to those of Harappans. OCP is not even close to the pottery that have been recovered from eastern Neolithic and Chalcolithic sites like Koldihwa, Chirand, and Lahuradewa<sup>2</sup>. The Upper Ganga OCP's forms are found at the sites of Bara, Sothi-Siswal, Ganeshwar, Jodhpura, Bhagwanpura, Hulas, Jhinjhana, Alamgirpur, Lal Qila, Atranjikhera, Saipai and Sankissa. In the east, OCP was reported from Kannauj<sup>3</sup>, from different sites of Sitapur<sup>4</sup>, Bahraich<sup>5</sup>, Ayodhya<sup>6</sup> & Sultanpur<sup>7</sup> by the third author (Fig. below).




Fig. No. 34: Location of OCP sites shown in the map of India



Fig. No. 35: Location of dated OCP/kindred sites shown in the map of North & western India

There are generic parallels between OCP and the protohistoric period ceramics from Kalibangan and Balathal. The later chalcolithic potteries found from Balathal, Gilund, Ahar in Rajasthan & Kaytha in M.P. have generic similarities to the ceramic of OCP. It appears that OCP and central Indian pottery are related to each other but central Indian cultures didn't use Harpoons.

The radiocarbon dates from different OCP sites and sites having generic similarities with it have been summarized in the following table.

5. No.	Site	Dates (Carbon/TL)		
1.	Bhagwanpura <sup>8</sup>	2190 to 3510 BC		
2.	Sothi-Siswal <sup>9</sup>	3200-2600 B.C.		
3.	Jhinjhana <sup>10</sup>	TL date 2650 B.C.		
4.	Lal Qila <sup>11</sup>	TL date 2030 B.C.		
5.	Atranjikhera <sup>12</sup>	TL date 2280 B.C.		
6.	Ganeshwar <sup>13</sup>	2895-2515 B.C.		
7.	Jodhpura <sup>14</sup>	3360-2880 B.C.		
8.	Kalibangan <sup>13</sup>	5000 B.C.		
9.	Balathal <sup>16</sup>	4540-4340 BC		
10.	Hulas <sup>17</sup>	3318 to 2468 BC		
11.	Bagor <sup>IB</sup>	3160 BC to 5365 BC		
12.	Bateshwar <sup>19</sup>	3330-3090 B.C.		

Table No. 3: showing dates found from different OCP sites

The above dates clearly demonstrate that the area of OCP culture was inhabited by the people of early OCP culture much before the start of Mature Harappan phase and they outlived them.

**Conclusion:** The five radiocarbon dates of the contemporary soil samples—associated with copper hoards collected from the Nigohi range from 1670 BC to 2380 BC (Table 1). These copper hoards linked with OCP show very early date. It indicates that OCP culture was contemporary to Mature Harappan culture. The source of soil samples was terrestrial and the site was located in lacustrine environment.

#### References:

- Kumar, V. 2018. A note on Chariot Burials found at Sinauli district Baghpat U.P. Indian Journal of Archaeology (www.ijarch.org), April, 2018. p. 755
- Kumar, V. 2017. Archaeological Gazetteer of Aligarh & Hathras Districts with special reference to OCP & Other Proto-Historic Cultures of Indo-Gangetic Plains. Indian Journal of Archaeology Vol. 2. No. 4, October 2017. 'www.ijarch.org', pp. 83-86.
- Kumar, V. 2018. History of Kannauj. Indian Journal of Archaeology Vol. 3, No. 3, July 2018. 'www.ijarch.org' pp. 44-48
- 4. Kumar, V. Opcit. 2017. pp. 89-94; 111-13; 128-29; 142-50; 161; 175-79.
- 5. Ibid. pp. 89; 94-98; 179.
- 6. Ibid. pp. 89, 94, 99, 114, 177, 180.
- 7. Ibid. pp. 89, 94, 100-01, 177, 180, 183.
- Joshi, J. P. 1993, Excavations at Bhagwanpura 1975-1976 and Other Explorations and Excavations 1975-81 In Haryana, Jammu And Kushmir And Punjab, New Delhi, Archaeological Survey of India, pp. 201-2.

## Carbon Dates of Copper Hoard Weapons found from Nigohi Area, District Shahjahanpur U.P. India

- 9. Possehl, Gregory. L. 2003. The Indus Civilization a Contemporary Perspective, New Delhi, Vistar Publications, p. 40.
- Lal, B. B. 1971-72. Proceedings of the Seminar on OCP and NBP. 'E.d. Sharma, Y. D., Purătattva No. 5. 1971-72, Bulletin
  of the Indian Archaeological Society'. Indian Archaeological Society c/o National Museum, Janpath, New Delhi-11.
  pp. 48-49.
- 11. Ibid. pp. 48-49.
- 12. Ibid. pp. 48-49.
- 13. Robert, W. Ehrich, Opcit. 1992, p. 462.
- 14. Ibid. p. 462.
- 15. Lal, B.B. Josh, J.P, Thapar, B.K. & Bala, Madhu. 2003. Excavations of Kalibangan. The Early Harappans (1960-69). The Director General Archaeological Survey of India Janpath, New Delhi. p. 25.
- Mishra, V. N. 2005. Radio Carbon Chronology of Balathal District Udaipur Rajasthan, 'Man and Environment XXX (I)'. 2005. p. 56-58.
- 17. IAR 1986-97; p. 127.
- 18. Robert, W. Ehrich. Opcit. 1992. pp. 461-462.
- 19. IAR 1975-76; pp. 42-3.